

# KUKA



Robotics\_Range
















































Product Range

- 1) Valid for standard version
- 2) Refers to intersection of axes 4 and 5
- 3) Different axis data for ceiling variants
- 4) Robot model available as ceiling-mounted variant
- 5) Robot model not available as ceiling-mounted or Foundry variant
- 6) Only available in special versions

Product Range

<p><b>_01</b></p>  <p>LBR iiwa 14 R820 LBR iiwa 7 R800</p>	<p><b>_02</b></p>  <p>KR 3 R540</p>	<p><b>_03</b></p>  <p>KR 10 R1100 KR 10 R900 KR 6 R900 KR 6 R700</p>	<p><b>_04</b></p>  <p>KR 10 R1100-2 KR 10 R900-2 KR 6 R900-2 KR 6 R700-2</p>	<p><b>_05</b></p>  <p>KR 6 R1820 KR 8 R1620 KR 10 R1420</p>
<p><b>_06</b></p>  <p>KR 6 R1820 arc HW KR 8 R1620 arc HW KR 8 R1420 arc HW</p>	<p><b>_07</b></p>  <p>KR 22 R1610 KR 20 R1810 KR 16 R2010 KR 16 R1610 KR 12 R1810 KR 8 R1620</p>	<p><b>_08</b></p>  <p>KR 8 R2100 arc HW</p>	<p><b>_09</b></p>  <p>KR 20 R2010 KS-F</p>	<p><b>_10</b></p>  <p>KR 30-3 KR 60-3</p>
<p><b>_11</b></p>  <p>KR 30 L16-2</p>	<p><b>_12</b></p>  <p>KR 30 HA KR 60 HA</p>	<p><b>_13</b></p>  <p>KR 30-4 KS KR 60-4 KS</p>	<p><b>_14</b></p>  <p>KR 60-4 L16-2 KS</p>	<p><b>_15</b></p>  <p>KR 210 R2900 prime K KR 180 R3100 prime K KR 150 R3300 prime K KR 120 R3500 prime K KR 90 R3700 prime K</p>
<p><b>_16</b></p>  <p>KR 270 R3100 ultra K KR 270 R2900 ultra K KR 240 R3100 ultra K KR 210 R3300 ultra K KR 180 R3500 ultra K KR 150 R3700 ultra K KR 120 R3900 ultra K</p>	<p><b>_17</b></p>  <p>KR 120 R2500 pro KR 90 R2700 pro</p>	<p><b>_18</b></p>  <p>KR 210 R2700 extra KR 180 R2500 extra KR 150 R2700 extra KR 120 R2900 extra KR 90 R3100 extra</p>	<p><b>_19</b></p>  <p>KR 240 R2700 prime KR 240 R2500 prime KR 210 R2700 prime KR 180 R2900 prime KR 150 R3100 prime</p>	<p><b>_20</b></p>  <p>KR 300 R2500 ultra KR 270 R2700 ultra KR 240 R2900 ultra KR 210 R3100 ultra</p>
<p><b>_21</b></p>  <p>KR 120 R2700 extra HA KR 90 R2900 extra HA KR 90 R3100 extra HA</p>	<p><b>_22</b></p>  <p>KR 160 R1570 nano KR 120 R1800 nano</p>			

Number	
Types	
Rated payload <sup>1)</sup>	
Rated supplementary load on arm Max. reach <sup>2)</sup> / Z-stroke	
Number of axes	
Positioning repeatability	
Weight (robot) approx.	
Mounting position	
Version (optional)	
Comments	
Axis data	
A1	Range
A2	
A3	
A4	
A5	
A6	
A7	
A1	Velocity
A2	
A3	
A4	
A5	
A6	
A7	

<p><b>_23</b></p>  <p>KR 180 R2100 nano F exclusive KR 120 R2100 nano F exclusive</p>	<p><b>_24</b></p>  <p>KR 360 R2830 KR 280 R3080 KR 240 R3330 KR 500 R2830 KR 420 R3080 KR 340 R3330</p>	<p><b>_25</b></p>  <p>KR 600 R2830 KR 510 R3080 KR 420 R3330</p>	<p><b>_26</b></p>  <p>KR 500 R2830 MT KR 480 R3330 MT</p>	<p><b>_27</b></p>  <p>KR 1000 titan</p>
<p><b>_28</b></p>  <p>KR 40 PA</p>	<p><b>_29</b></p>  <p>KR 120 R3200 PA</p>	<p><b>_30</b></p>  <p>KR 180 R3200 PA</p>	<p><b>_31</b></p>  <p>KR 240 R3200 PA</p>	<p><b>_32</b></p>  <p>KR 300-2 PA KR 470-2 PA</p>
<p><b>_33</b></p>  <p>KR 700 PA</p>	<p><b>_34</b></p>  <p>KR 1000 L950 titan PA KR 1000 1300 titan PA</p>	<p><b>_35</b></p>  <p>KR 120 R3500 press KR 100 R3500 press</p>	<p><b>_36</b></p>  <p>KL 100</p>	<p><b>_37</b></p>  <p>KL 250-3</p>
<p><b>_38</b></p>  <p>KL 1000-2</p>	<p><b>_39</b></p>  <p>KL 1500 CV KL 1500 CV-T KL 1500 CV-S</p>	<p><b>_40</b></p>  <p>KL 3000</p>	<p><b>_41</b></p>  <p>KL 4000</p>	<p><b>_42</b></p>  <p>KR 30-2 JET</p>
<p><b>_43</b></p>  <p>KR 60-2 JET</p>				



[www.kuka.com/contacts](http://www.kuka.com/contacts)



[www.facebook.com/KUKA.Robotics](https://www.facebook.com/KUKA.Robotics)



[www.youtube.com/kukarobotgroup](https://www.youtube.com/kukarobotgroup)



Twitter: @kuka\_roboticsEN

**Edition\_April 2018**

Details provided about the properties and usability of the products are purely for information purposes and do not constitute a guarantee of these characteristics. The extent of goods delivered is determined by the subject matter of the specific contract. No liability accepted for errors or omissions. Subject to technical alterations.

© 2018 KUKA

[www.kuka.com](http://www.kuka.com)